



To: All Prospective Bidders
From: Purchasing Department
Date: March 6, 2018
Subject: Inquiries and Responses
RFP#: 103-2018 EMT Services for Music City Center

Inquiries and Responses:

1. From a risk management perspective, would Vanderbilt LifeFlight be limited to the stock only the medical supplies listed on pages 6 and 7, or could LifeFlight increase the medical supply stock to include medications and mass causality supplies at the discretion of the LifeFlight medical director? **These items are only a minimum. Any items that you feel are appropriate may be put in stock. This would be at no expense to MCC or its admittees.**
2. Is there a specific brand of AED required? **We currently have Zoll AEDPlus units in our facility but any approved device would be allowed.**
3. How many MCC staff members would be trained in CPR and first-aid each year? **Approximately 50**
4. Does MCC require a specific class and training curriculum, AHA vs Red Cross? **We typically have used a Red Cross curriculum but propose what you would recommend.**
5. Would MCC provide the required training space and AV equipment for each scheduled class? **MCC would supply training space and AV.**
6. Would LifeFlight be expected to re-schedule training for last minute staff cancellations? **We would probably need to have at least 2 classes because of shift work here at the MCC.**
7. Vanderbilt finance invoice processing typically takes 5-10 days. In the interim, would a LifeFlight billing statement suffice for the next day billing requirement? **This would be fine as long as the invoice does not differ.**
8. Is hard-wired internet access available in each first-aid room? **Yes**
9. Would LifeFlight be permitted to place a computer and printer in each first-aid room for timekeeping and patient documentation purposes? **Yes.**

10. Would Vanderbilt signage be allowed in each first-aid room for the purpose of patient communication as required by Vanderbilt LifeFlight accreditation agencies? **Provide an example of the signage in your proposal and we can discuss.**
11. What is the anticipated first scheduled date of coverage following the awarded contract? **Anticipated first scheduled date will be late May/early June 2018.**
12. Would co-branding be permitted on approved uniform shirts in accordance with Vanderbilt branding policies? **Please provide an example in your proposal and we will decide.**
13. Would LifeFlight be allowed to program MCC's emergency radio frequencies into any additional LifeFlight radios utilized at MCC? **No, they would use our radios.**
14. What type of radios are utilized by MCC, 800 MHz, UHF, VHF? Does the current radio system include a repeater? **UHF, Motorola XPR 3300. Yes, there is a repeater and we do have 800 MHz signal throughout the facility for emergency responders.**
15. Regarding ambulance coverage on page 6, the RFP does not specify level of coverage. What level of coverage is expected, basic or advanced life support? **Basic, if needed.**
16. What is the current monthly rate for each of the two parking passes? **\$80**